



# BRAZZEN

RURAL PRODUCTS



**2025**

PRODUCT BOOKLET  
[www.brazzen.com.au](http://www.brazzen.com.au)



## DEALERS

### ACT

Brazzen Canberra (Independent Steel Company)

### New South Wales

Brazzen Albury/Wodonga (Parkside Produce)  
Brazzen Barrington Coast  
Brazzen Dubbo (Mullion Produce)  
Brazzen Hunter Valley  
Brazzen Macleay Valley  
Brazzen Moss Vale (Independent Steel Company)  
Brazzen Northern Rivers  
Brazzen Nowra (Independent Steel Company)  
Brazzen Orange (Mullion Produce)  
Brazzen Queanbeyan (Independent Steel Company)  
Brazzen Tamworth (Steel Save)  
Brazzen Wagga Wagga (Direct Steel Wagga)

### Northern Territory

Brazzen Darwin & Top End

### Queensland

Brazzen Bundaberg  
Brazzen FNQ  
Brazzen Lockyer Valley  
Brazzen Mackay  
Brazzen Morayfield  
Brazzen Rockhampton  
Brazzen Scenic Rim  
Brazzen Townsville

### South Australia

Brazzen Kimba (Lienert Ag Supplies)  
Brazzen Tailem Bend (River Murray Trading Post)

### Tasmania

Brazzen Tas Rural

### Victoria

Brazzen Alpine Country Victoria  
Brazzen Ballarat (The Haymarket)  
Brazzen Colac  
Brazzen Gippsland  
Brazzen Hamilton  
Brazzen Katunga  
Brazzen Yarra Valley

### Western Australia

Brazzen Albany  
Brazzen Busselton  
Brazzen Esperance  
Brazzen Geraldton  
Brazzen Kondinin

Brazzen Moora

Brazzen Southern Stockyards (Bunbury Area)

## SUPPLIERS

### New South Wales

Bathurst AG Horse & Pet  
Berry Rural Store  
Binalong Rural  
Boorowa Hardware  
Candelo Stockfeeds  
Carrington Rd Stockfeeds - Londonderry  
Cleanseeds Pty Ltd  
D & R Stockfeed - Camden  
DH Roberts Pty Ltd  
DST Rural  
Goulburn Horse Ag & Pet  
Heartland Rural Cowra  
JD's Rural Supplies  
MacCallum Inglis  
Mandalong Stockfeeds - Morisset  
Marulan Rural Supplies  
Milton Hardware & Mowers  
Murrumbateman Rural Supplies  
NU RURAL - Quirindi  
Precision Ag  
Produce Direct & Pet Centre  
Riverview Produce  
South East Rural Supplies  
Southern Quality Stockfeeds - Yanderra  
Southern Rural Traders  
Turnbull Fuel & Produce  
Welderup

### South Australia

Agfert

### Victoria

Bairnsdale Stockfeed  
Costello Rural  
Dindi Ag  
Dunstall's Superstore  
Macalister Tyre Service  
Mildura Stockfeeds  
Miller's Agricultural Supplies  
Peter Davis Rural Supplies  
Seymour Ag  
Steel Supplies Mildura  
Tafco Rural Supplies - Myrtleford  
Tallarook Rural Supplies  
Tully's Stockfeeds & Rural Supplies  
Wangaratta Rural Supplies  
Yan Yean Stock Feed



## Product Index

*The specifications are subject to change without prior notice.*

## Contact & Sales

### HEAD OFFICE

1300 686517

0455 332519

[sales@brazzen.com.au](mailto:sales@brazzen.com.au)

80 Mann Street

Coolamon NSW 2701

### **Cattle** \_\_\_\_\_ **4-24**

Head Bale _____	4
Crushes _____	4-8
Ramps _____	9-11
Cattle Permanent Post _____	11
Cattle Anti-Backing Bar _____	11
Panels _____	12-13
Race Walkway Mesh _____	13
Bows _____	14
Gates _____	15-21
Calf Tilting Cradle _____	21
Curved Race Panels _____	22
Access Grid/Premium Grid _____	22
Force Yard _____	23
Bud Box/Cattle Scale _____	24

### **Combo Panels/Pigs** \_\_\_\_\_ **25**

Combo Panels & Gates _____	25
Pig Panel & Gate _____	25

### **Sheep/Goat** \_\_\_\_\_ **26**

Ramps _____	26
Curved Race Kit _____	27
V-Race _____	28
Sheep Handler _____	29
Panels & Gates _____	30-32
Goat Panel & Gate _____	33

### **Horses** \_\_\_\_\_ **34-36**

Panels & Gates _____	34-35
Shelter _____	36

### **Feeders** \_\_\_\_\_ **37-43**

### **ATV Trailer** \_\_\_\_\_ **44**

### **Dog Pens** \_\_\_\_\_ **45**

# We see different prices all over Australia for cattle panels.


## Why is this?

## What to look out for?



**BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.**

- 1 Many panel weights are very light due to the gauges, the steel rails and posts are very thin. 1.1mm is now becoming the norm in cheap panels. They dent like an aluminium can. Brazen Panels are all oval rails 1.5mm thick and the posts are 1.7mm. The standard panels are 36kg in total weight.
- 2 Some cattle panels will have 5 rails instead of 6 rails to save money. This is an old trick.
- 3 Some cattle panels have 60x30mm oval rails and 40x40mm posts.
- 4 Brazen Cattle panels have 70x40mm oval rails and 50x50mm Posts. Many panels go with the half pin cleat instead of the full C cleat. Brazen has the full C cleats on both sides and also has rubber in the cleat holes to stop the rattling noise of the pins.



**BE BRAZEN  
BUY BRAZZEN**

- 5 Most panels have a very low galvanized coating (Pre-gal) as low as 20grams per square meter of galvanising. (20gms m<sup>2</sup>)
- 6 Brazen Posts are Hot Dipped Gal not a coating which is over 200gms m<sup>2</sup> and the rails are over 60gms m<sup>2</sup>
- 7 Brazen also salt tests the welds to make sure they can withstand many hours of salt washing and the welders use splatter rubbers to stop weld splatter on the rails and posts which are hidden from gal paint and can eventually rust.
- 8 All Brazen panels have the Brazen logo on the caps of all the posts.




*If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.*

**Next time you choose a Cattle Panel you need to ask yourself if a Cattle Panel is a Brazen Cattle Panel.**



## HEAD BALE

- Ideal for use with two cattle panels and a sliding gate to create a budget crush
- Easy to operate ratchet system
- Head bale is 750mm inside and 850mm outside



• Optional Baulk Gate



		Width	Depth	Height	Weight
Head Bale	CHB	850(2.79')	250(0.8')	2100(6.89')	120kg(265lb)
Baulk Gate	CGBAULK		1000(3.28')	1000(3.28')	21kg(46.3lb)

## HOBBY CRUSH


- Ideal for the hobby farmer
- Simple construction
- Portable
- Easy operating sliding gate
- Anti bruise oval rail panels

### Kit includes:

- 1x cattle head bale
- 2x cattle panels
- 1x cattle sliding gate

### You can DIY the Hobby Crush according to your request:

- Sliding Gate Options: Standard, Premium, Blind
- Cattle Head Bale Options: CHB, CHBK (CHBK only works on crush with vet section)
- Side Option: Two sides panel, two sides panel gate, or one side panel with one side panel gate, with vet section or without



		Width	Depth	Height	Weight
Hobby Crush	CCH	2500(8.2')	850(2.79')	2030(7.5')	260kg(573lb)



## HOBBY CRUSH WITH VET

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Bale 1xCHB
- Crush Side Panel 3.0m 1xCPC3.0
- Crush Side Panel Gate 3.0m 1xCPGCB3.0

	Width	Depth	Height
Hobby Crush with Vet <b>CCHV</b>	3625(11.9')	1580(5.2')	2600(8.5')



## HOBBY CRUSH BLINDED WITH VET

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Cattle Head Bale with Long Handle Kits 1xCHBK
- Crush Side Panel Blinded 3.0m 1xCPCB3.0
- Crush Side Panel Gate Blinded 3.0m 1xCPGCB3.0

	Width	Depth	Height
Hobby Crush Blinded with Vet <b>CCHBV</b>	3625(11.9')	1580(5.2')	2600(8.5')



## HOBBY CRUSH WITH SPLIT GATE

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Bale 1xCHB
- Standard Cattle Gate Split 2.1m 1xCGSPL2.1
- Standard Cattle Panel 2.1m 1xCPS2.1


	Width	Depth	Height
Hobby Crush with Split Gate	2735(8.97')	1580(5.2')	2600(8.5')





## STANDARD CRUSH

- Sheeted bottom side gates for operator and animal safety
- Triple top gates allowing full access along animal
- Auto lock rear sliding gate
- Adjustable rear handle
- Walk through vet section
- Supplied in flat pack



		Length	Depth	Height	Weight
Standard Crush	CCSFP	3350(11)	850(2.79)	2030(7.5')	580kg(1279lb)
Chin Lift	CCL				46kg(101lb)

- Optional Chin Lift of STANDARD and PREMIUM Crush
- Offside Chin Lift Available



## PREMIUM CRUSH

- 3mm gauge steel frame
- Walk through vet section
- Baulk gate
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheeted sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in flat pack




• Optional Small And Large Floor For STANDARD and PREMIUM Crush

		Length	Depth	Height	Weight
Premium Crush	<b>CCFP</b>	3350(11')	850(2.79')	2030(7.5')	644kg(1420lb)
Floor - Large	<b>CCFL</b>	2055(6.7')	743(2.4')	50(0.16')	53kg(454lb)
Floor - Small	<b>CCFS</b>	910(3')	745(2.4')	50(0.16')	24kg(265lb)



## PREMIUM FULL SQUEEZE CRUSH

- Sheeted head bale & bottom side gates for operator and animal safety
- Auto lock rear sliding gate
- Innovative silent operation
- Walk through vet section
- Parallel squeeze
- 2x large access doors
- Neck inspection doors
- Front & rear head bale operation
- Supplied in flat pack



Ensure the Crush is bolted down if the roof is attached.

• Optional Small and Large Roof for STANDARD, PREMIUM and SQUEEZE Crush

		Length	Width	Height	Weight
Squeeze Crush	<b>CCPSFP</b>	3630(11.91')	850(2.79')	2400(7.87')	1070kg(2359lb)
Roof - Large	<b>RCL</b>	4180(13.71')	4260(13.98')		206kg(454lb)
Roof - Small	<b>RCS</b>	2300(7.55')	3770(12.37')		120kg(265lb)



## ADJUSTABLE RAMP

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle yards
- Ramps available with detachable walkways on request
- Minimum height - 680mm  
Maximum height - 1270mm



**Optional Walkway Kit Available**



**STANDARD RAMP**



**Optional Walkway Kit With Safety Rail Available**



**STANDARD RAMP WITH MOBILE KIT**



**PREMIUM RAMP**

		Length	Depth	Height	Weight
Standard Ramp	<b>CRFP</b>	3280(10.76')	850(2.78')	3350(11')	332kg(732lb)
Premium Ramp	<b>CRFPF</b>	3280(10.76')	850(2.78')	3350(11')	387kg(853lb)
Standard Ramp WPC	<b>CRTFFP</b>	3280(10.76')	850(2.78')	3350(11')	394kg(872lb)
Premium Ramp WPC	<b>CRPTFFP</b>	3280(10.76')	850(2.78')	3350(11')	449kg(993lb)
Walkway Kit With Safety Rail	<b>CRWK600F</b>	3131.6(10.27')	660(2.17')	1800(5.91')	101kg(223lb)
Walkway Kit	<b>CRWK</b>	3450(11.31')	310(1')		39kg(86lb)
Cattle Ramp Mobile Kit	<b>CRKM</b>				



**Mobile Kit**



## HEAVY DUTY CATTLE RAMP

- Heavy-duty steel construction ensures it can handle even the toughest outdoor conditions
- Overall size: 5370 x 3000 mm (H)
- 3360 mm ramp with a 2000 mm level extension for easy loading
- 1200 mm fixed loading height
- 900 mm anti-slip walkway with a safety rail
- 2 access gates on the top to shut off the truck and/or ramp
- Detachable side walkway that can be placed on the left or right side
- Rubber contact points added to protect your ramp and truck



	Length	Depth	Height	Weight
Heavy Duty Cattle Ramp <b>CRHWK</b>	5370(17'7")	1840 (6')	3300(10'9")	838kg(1847lbs)



## PREMIUM MOBILE RAMP

- Robust construction
- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Holds 12x portable cattle panels (not included)
- The premium floor is WPC board which is a durable and long lasting material used to replace timber



**PANELS NOT INCLUDED WHEN ORDERING**

	Length	Depth	Height	Weight
Premium Mobile <b>CRPM</b>	5330(17.5')	2240(7.35')	2680(8.8')	696kg(1534lb)

## CATTLE PERMANENT POST



	Length	Width	Height
Cattle Permanent Post <b>CPPH</b>	65(2.56')	65(2.56')	2600(8'6")

## CATTLE ANTI-BACKING BAR



	Length	Height	Weight
Cattle Anti-Backing Bar <b>CBAB</b>	1145(3.76')	920(3.02')	23.8kg(52.5lb)



## CATTLE PANELS

### Budget Panel

This middle of the range panel is equipped with:

- 6x oval 60 x 30 (2.36" x 1.18") rails
- 2 SHS 40 x 40 (1.57" x 1.57") posts
- 4 easy to connect lugs
- 2 holes for ground pins

### Standard Panel

This strong heavy duty panel is equipped with:

- 6x oval 70 x 45 (2.75" x 1.57") rails
- 2 SHS 50 X 50 (2" x 2") posts
- 4 easy to connect lugs
- 2 holes for ground pins

### Premium Panel

This strong heavy duty panel is equipped with:

- 6x oval 115 x 42 (4.52" x 1.65") rails
- 2 SHS 50 x 50 (2" x 2") posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanised (HDG) after welding

		Horizontal	Uprights	Rails	Length	Height	Weight
Budget Panel	<b>CPB2.1</b>	60x30	40x40	6	2100(6.89')	1800(5.91')	32kg(71lb)
Standard Panel	<b>CPS1.25</b>	70x40	50x50	6	1250(4.1')	1800(5.91')	24.8kg(55lb)
Standard Panel	<b>CPS2.1</b>	70x40	50x50	6	2100(6.89')	1800(5.91')	36kg(79lb)
Standard Panel	<b>CPS2.4</b>	70x40	50x50	6	2400(7.87')	1800(5.91')	40kg(88lb)
Standard Panel	<b>CPS3.35</b>	70x40	50x50	6	3350(11')	1800(5.91')	50kg(110lb)
Premium Panel	<b>CPP1.25</b>	115x40	50x50	6	1250(4.1')	1800(5.91')	34kg(75lb)
Premium Panel	<b>CPP2.1</b>	115x40	50x50	6	2100(6.89')	1800(5.91')	46kg(101lb)
Premium Panel HDG	<b>CPP2.1H</b>	115x40	50x50	6	2100(6.89')	1800(5.91')	47.5kg(105lb)
Premium Panel	<b>CPP2.4</b>	115x40	50x50	6	2400(7.87')	1800(5.91')	52kg(115lb)
Premium Panel HDG	<b>CPP2.4H</b>	115x40	50x50	6	2400(7.87')	1800(5.91')	53kg(117lb)
Premium Panel	<b>CPP3.35</b>	115x40	50x50	6	3350(11')	1800(5.91')	70kg(154lb)
Premium Panel HDG	<b>CPP3.35H</b>	115x40	50x50	6	3350(11')	1800(5.91')	72kg(159lb)



BUDGET



STANDARD



PREMIUM



## SHEETED CATTLE PANEL



		Length	Height
2.1 Standard Sheeted Panel	<b>CPSBH2.1</b>	2100(6.89')	1800(5.91')
2.1 Standard Sheeted Panel Full	<b>CPSB2.1</b>	2100(6.89')	1800(5.91')
2.1 Premium Sheeted Panel	<b>CPPBH2.1</b>	2100(6.89')	1800(5.91')
2.1 Premium Sheeted Panel Full	<b>CPPB2.1</b>	2100(6.89')	1800(5.91')

## RACE WALKWAY MESH

- Race walkway mesh is designed to assist with maximum access to the cattle while they are in the race, therefore giving you safe access above the cattle



		Width	Weight
Race Mesh	<b>CRWW</b>	2100(6.89')	19kg(42lb)



## RACE BOWS

- Assists with maintaining a sturdy race
- Stops race from spreading under pressure



SINGLE RACE BOW



ADJUSTABLE DOUBLE RACE GATE



DOUBLE RACE WALKWAY BOW

		Length	Height	Weight
Single Race Bow	<b>CRB</b>	850(2.78')	2200(7.21')	18kg(40lb)
Double Race Bow	<b>CRBD</b>	2100(6.89')	2590(8.5')	44kg(97lb)
Adjustable Double Race Gate	<b>CRBDA</b>	2100(6.89')	2590(8.5')	85kg(187lb)



## R360 CATTLE GATE


- Comes with both chain & slam latch
- Gate will swing in both directions
- INNOVATION design - 360 Degrees



		Length	Depth	Height
2.1 Standard 360 Degrees	<b>CGS2.1-R360</b>	2100(6.89')	50(0.16')	2200(7.22')
2.1 Premium 360 Degrees	<b>CGP2.1-R360</b>	2100(6.89')	50(0.16')	2200(7.22')
3.0 Standard Single 360 Degrees	<b>CGSS3.0-R360</b>	3000(9.84')	60(2.4')	2200(7.22')
3.0 Premium Single 360 Degrees	<b>CGPS3.0-R360</b>	3000(9.84')	60(2.4')	2200(7.22')

## SPEAR TRAP GATE

- Designed for self mustering
- Ideal for decreasing handling & increasing mustering efficiency on large properties
- Reduces stress on both the animal and handler
- Arms are removable
- Effective and easy to install into an existing portable yard




	Width	Depth	Height	Weight
Spear Trap Gate <b>CGST</b>	1150(3.7')	132(0.43')	2000(6.5')	86kg(189lb)




## CATTLE GATES

- Comes with both chain and slam latch
- Gate will swing in both directions



STANDARD 3.0 GATE



PREMIUM 4.2 GATE



STANDARD 4.2 DOUBLE



STANDARD 2.1 GATE

		Length	Depth	Height	Weight
2.1 Standard	<b>CGS2.1</b>	2100(6.89')	50(0.16')	2200(7.22')	66kg(146lb)
2.1 Premium	<b>CGP2.1</b>	2100(6.89')	50(0.16')	2200(7.22')	76kg(168lb)
3.0 Standard Double	<b>CGSD3.0</b>	3000(9.84')	50(0.16')	2200(7.22')	118kg(260lb)
3.0 Standard Single	<b>CGSS3.0</b>	3000(9.84')	50(0.16')	2200(7.22')	116kg(256lb)
3.0 Premium Double	<b>CGPD3.0</b>	3000(9.84')	50(0.16')	2200(7.22')	133kg(293lb)
3.0 Premium Single	<b>CGPS3.0</b>	3000(9.84')	50(0.16')	2200(7.22')	127kg(280lb)
4.2 Standard Double	<b>CGSD4.2</b>	4200(13.78')	50(0.16')	2200(7.22')	162kg(357lb)
4.2 Standard Single	<b>CGSS4.2</b>	4200(13.78')	50(0.16')	2200(7.22')	192kg(423lb)
4.2 Premium Single	<b>CGPS4.2</b>	4200(13.78')	50(0.16')	2200(7.22')	210kg(463lb)



## MAN PANEL GATE

- Designed for easy access between yards
- Fast exit from yards

		Width	Depth	Height	Weight
Standard Man	<b>CGMS2.1</b>	2100(6.89')	50(0.16')	2200(7.22')	59kg(130lb)
Premium Man	<b>CGMP2.1</b>	2100(6.89')	50(0.16')	2200(7.22')	70kg(154lb)
Standard Man	<b>CGMS2.4</b>	2400(7.87')	50(0.16')	2200(7.22')	63kg(139lb)
Premium Man	<b>CGMP2.4</b>	2400(7.87')	50(0.16')	2200(7.22')	76kg(168lb)



**PREMIUM MAN-PANEL GATE**

## ACCESS GATE

- Ideal for use in workers alley, or access to yards
- Comes with both chain and slam latch
- Handy lugs for ground pinning

		Width	Depth	Height	Weight
Standard Access	<b>CGAS</b>	1250(4.10')	50(0.16')	2200(7.22')	50kg(110lb)
Premium Access	<b>CGPA</b>	1250(4.10')	50(0.16')	2200(7.22')	55kg(121lb)



**STANDARD ACCESS GATE**

## STANDARD CATTLE GATE SPLIT 2.1M

		Length	Depth	Height	Weight
Split 2.1m	<b>CGSPL2.1</b>	2100(6.89')	50(0.16')	2200(7.22')	68k(150lb)





## 2 WAY RACE GATE

- Easy operation
- Designed to assist with sorting and separating cattle with a minimal of stress on the animals
- Fully sheeted sides to help minimise cattle distraction
- Can be operated from both sides



	Length	Width	Height	Weight
2 Way Race Gate <b>CGR2W</b>	1642(5.39')	1653(5.42')	2100(6.9')	168kg(370lb)

## CATTLE 3 WAY DRAFTING GATE

- Galvanised construction
- Robust construction
- Animal Friendly
- Handy lugs for ground pinning
- Designed to improve speed of stock flow easy operation



	Length	Depth	Height
Cattle 3 Way Drafting Gate <b>C3WD</b>	2385(7.82')	850(2.789')	2113(6.93')



## 5 RAIL DRIVEWAY GATES

- End posts are square 50 x 50 and 14 gauge
- Made from our premium oval rails 101 x 50 and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening square tubes to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight


		Length	Height	Rails
Driveway Gate 8.0	<b>DGP8/4.2-5</b>	2438.4(8')	1270(4'2")	5
Driveway Gate 10	<b>DGP10/4.2-5</b>	3048(10')	1270(4'2")	5
Driveway Gate 12	<b>DGP12/4.2-5</b>	3658(12')	1270(4'2")	5
Driveway Gate 14	<b>DGP14/4.2-5</b>	4267(14')	1270(4'2")	5
Driveway Gate 16	<b>DGP16/4.2-5</b>	4877(16')	1270(4'2")	5



- This cowboy latch is made for all you cowboys out there. Mount it on the gate and you won't even have to get out of the saddle to open it.
- Heavy-duty steel construction. It could be used on Brazen standard, premium driveway gates and mesh driveway gates 1473mm long handle

## 6 RAIL DRIVEWAY GATES

		Length	Height	Rails
Driveway Gate 8.0	<b>DGP8/5.1-6</b>	2438.4(8')	1549(5'1")	6
Driveway Gate 10	<b>DGP10/5.1-6</b>	3048(10')	1549(5'1")	6
Driveway Gate 12	<b>DGP12/5.1-6</b>	3658(12')	1549(5'1")	6
Driveway Gate 14	<b>DGP14/5.1-6</b>	4267(14')	1549(5'1")	6
Driveway Gate 16	<b>DGP16/5.1-6</b>	4877(16')	1549(5'1")	6




Cowboy Latch Kit **LK**



## MESH DRIVEWAY GATES

		Length	Height	Rails
Mesh Driveway Gate 8.0	<b>DGBM8/4.5-5</b>	2438.4(8')	1345(4.5')	5
Mesh Driveway Gate 10	<b>DGBM10/4.5-5</b>	3048(10')	1345(4.5')	5
Mesh Driveway Gate 12	<b>DGBM12/4.5-5</b>	3658(12')	1345(4.5')	5
Mesh Driveway Gate 14	<b>DGBM14/4.5-5</b>	4267(14')	1345(4.5')	5
Mesh Driveway Gate 16	<b>DGBM16/4.5-5</b>	4877(16')	1345(4.5')	5





## ADJUSTABLE TOP 6 RAIL CATTLE GATE

- 6 Rails
- Height adjustable to 3.0m allowing the option to ride through gates
- Gate is hinged to swing in both directions



		Horizontal	Uprights	Rails	Height	Width	Weight
2.1 Budget	CGBA	60x30	50x50	6	3000	2100	66kg(146lbs)
2.1 Standard	CGSA	70x40	50x50	6	3000	2100	70kg(154lbs)

## 2 WAY SLIDING CATTLE GATE

- This sliding gate can be operated from both sides or locked off for single side operation



		Width	Depth	Height	Weight
2 Way Sliding Gate	CG2WS	850(2.79')	370(1.21')	1970(6.46')	96kg(212lb)



## SLIDING CATTLE GATE

- Ideal for use with two cattle panels and a sliding gate to create a budget crush
- Easy operation with roller sliding

**Suggestion for use:**

- 1x Sliding Gate
- 1x Head Bale
- 2x Standard panels



PREMIUM SLIDE GATE



STANDARD SLIDE GATE



BLIND CATTLE SLIDE GATE

		Width	Depth	Height	Weight
Standard Slide Gate	<b>CGSS</b>	850(2.79')	220(0.7')	1970(6.46')	80kg(176lb)
Premium Slide Gate	<b>CGPS</b>	850(2.79')	220(0.7')	1970(6.46')	84kg(185lb)
Blind Cattle Slide Gate	<b>CGSSB</b>	850(2.79')	220(0.7')	1970(6.46')	120kg(265lb)

## CALF TILTING CRADLE

- Secure holding
- Galvanised construction
- Designed for easy access to animal



		Width	Depth	Height	Weight
Calf Cradle	<b>CCCT</b>	1800(5.90')	850(2.79')	1200(3.94')	207kg(456lb)



## STANDARD FORCE

- The force yard allows the handler to push cattle into the race system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behaviour of how cattle run and tend to circle back to where they came from
- Standard Slide Gate Available



## OFFSIDE FORCE AVAILABLE

- When using an offside force yard and a standard crush, the force yard requires the walkway to allow operation from the outside in line with crush operation



		Width	Depth	Height	Weight
Blind	<b>CFYB</b>	6300(20.67')	3150(10.33')	2200(7.22')	777kg(1713lb)
Blind-Offside	<b>CFYBO</b>	6300(20.67')	3150(10.33')	2200(7.22')	777kg(1713lb)
Walkway Kits	<b>CFYBWK</b>				35kg(77lb)



## BUD BOX

- Designed to improve speed of stock flow



	Length	Width	Height	Weight
Bud Box CBBY-10	6299(20'8")	4851(15'11")	3048(10')	921kg(2030lb)

## CATTLE SCALE



Cattle Scale CS



# COMBO PANEL & GATE/PIGS



## COMBO GATES

### Standard


- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts

Fit for all types of animals, including cattle, horses, sheep, & goats.

		Length	Height	Weight
Standard Combo Gate	<b>C/SGS2.1</b>	2100mm(6.88')	2200mm(7.21')	77kg(170lb)
Budget Combo Gate	<b>C/SGBA</b>	2100mm(6'11")	3000mm(9.84')	72kg(152lb)

### Budget

- 8 Rails 60mm x 30mm Oval Rail
- 2 Post 40mm x 40mm Posts



STANDARD GATE

BUDGET COMBO GATE

## COMBO PANELS

### Standard


- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts

Fit for all types of animals, including cattle, horses, sheep, & goats.

		Length	Height	Weight
Standard Combo Panel	<b>C/SPS2.1</b>	2100mm(6'11")	1800mm(5'11")	45kg(99lb)
Budget Combo Panel	<b>C/SPB2.1</b>	2100mm(6'11")	1800mm(5'11")	37kg(82lb)

### Budget

- 8 Rails 60mm x 30mm Oval Rail
- 2 Post 40mm x 40mm Posts



STANDARD PANEL

BUDGET PANEL

## PIG PANEL

		Length	Height	Weight
Pig Panel 2.1m	<b>PP6.6-6</b>	2000(6'6")	1041(3'5")	24kg(53lb)



## PIG GATE


		Length	Height	Weight
Pig Gate 2.1m	<b>PG6.6-6</b>	2000(6'6")	1092(3'7")	50kg(110lb)





## SHEEP LOADING RAMP

- Manufactured from galvanised steel
- Handy lugs for ground pinning
- Fully sheeted
- Fully adjustable height for trailer to truck loading



STANDARD SHEEP RAMP



OPTIONAL WALKWAY KIT AVAILABLE

		Length	Width	Height	Weight
Standard Ramp	SLR	3055(10')	650(2.13')	2250(7.38')	284kg(626lb)
Walkway Kit	SLRWK	3400(11.15')	310(1')		50kg(110lb)

## RUSTLER RAMP

- 3 piece design easily flat packed for transport
- Ideal for use with a chute or trailer




		Length	Width	Height	Weight
Rustler Ramp	SFL	2300(7.5')	600(2.0')	900(3.0')	94kg(207lb)



## ***CURVED RACE KIT***

- Assisting to process a large number of stock at a faster rate, improving productivity
- Reduces animal stress
- Sheep will move forward looking for an opening



		Length	Width	Height	Weight
Race Curved Kit	<b>SRCK</b>	5010(16.4')	2500(8.2')	1100(3.6')	280kg(617lb)





## ADJUSTABLE V-RACE

- Manufactured from galvanised steel
- Fully sheeted
- The 'v' profile minimises the chance of small stock turning around in the race
- Races have a fully sheeted outer arc (prevents legs and heads getting out, and improves stock flow)
- Races are made without overhead bracing. This eliminates the danger of an operator getting his arm caught between the yard and beast



### 2 or 3 Way Sheep Draft Gate

- Assisting to process a large number of stock at a faster rate, improving productivity



SG3W



SG2W



MOBILE ADJUSTABLE V-RACE



		Length	Depth	Height	Weight
Sheep Race	<b>SRA</b>	3410(11.2)	540(2.13)	1020(3.77)	186kg(410lb)
Mobile Race	<b>SRMY</b>	4320(14.2)	2250(7.4)	1560(5.12)	436(961lb)

PANELS NOT INCLUDED WHEN ORDERING



## SHEEP HANDLER

SHEEP HANDLER WITH YARD



- Designed to Improve the efficiency of managing your sheep or goats
- Comes with 4 adjustment gears, to accommodate all stock sizes
- Comes with slide gate front and back
- Easy to tip sheep/goat up at a safe working height and do handling work
- Supplied in Flat Pack

	Length	Width	Height	Weight
Sheep Handler <b>SGH</b>	1760(5'9")	1206(3'11")	1206(3'11")	142kg(313lb)



## BRAZZEN 7 RAIL

- 7 rail - 32od pipe
- Manufactured from galvanised steel
- Light weight
- Ideal for portable yards



BRAZZEN SHEEP PANEL

		Rail	Uprights	Height	Width	Weight
Economy Sheep Panel	<b>SPB10/3.3-7</b>	250D	320D	1000(3.28')	2900(9'5")	20kg(44lb)
Brazen 3.0	<b>SPB-7</b>	320D	320D	1000(3.28')	3000(9.84')	28kg(62lb)
Brazen Blind 1.0	<b>SPBB1.0</b>	320D	320D	1000(3.28')	1000(3.28')	19kg(42lb)
Brazen Blind 2.0	<b>SPBB2.0</b>	320D	320D	1000(3.28')	2000(6.56')	32kg(70lb)
Brazen Blind 3.0	<b>SPBB3.0</b>	320D	320D	1000(3.28')	3000(9.84')	42kg(93lb)

## BRAZZEN GATES



1M DRAFT GATE



SHEEP GATE THROW LATCH




ANTI-BACKING WING



RACE GATE



BRAZZEN SHEEP GATE



RACE BOW

PERMANENT POST

		Rail	Uprights	Height	Width	Weight
Brazen 2.1	<b>SGB2.1</b>	320D	50x50	1000(3.28')	2000(6.56')	39kg(86lb)
Brazen 3.0	<b>SGB3.0</b>	320D	50x50	1000(3.28')	3000(9.84')	54kg(119lb)
Brazen Draft	<b>SGB1.0</b>	320D	50x50	1000(3.28')	1000(3.28')	20kg(44lb)
Race Gate	<b>SGR</b>	320D	50x50	1000(3.28')	550(1.80')	17kg(37lb)
Race Bow	<b>SRB</b>	50x50	1100(3.6')	550(1.80')		8kg(18lb)
Perm. Post	<b>SPP</b>	50x50		1885(6.18')		10kg(22lb)



## PREMIUM SHEEP PANELS


- Manufactured from galvanised steel
- Blind panels are designed to reduce distractions and improve the flow of stock
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Height is 1100mm
- Panels can be used in permanent or portable applications




GUILLOTINE LIFT-UP SHEEP GATE



PREMIUM BLIND SHEEP PANEL



PREMIUM SHEEP PANEL



PREMIUM SHEEP GATE

## SHEEP GATES

- Manufactured from galvanised steel
- Premium gates are manufactured with 60x30 oval rails and 40x40 posts
- Sliding gates come supplied as conventional push in types, or as push out type





SLIDING SHEEP GATE

		Rail	Uprights	Height	Width	Weight
Premium 1.0	<b>SPP1.0</b>	60x30	40x40	1100(3.6')	1000(3.28')	13kg(29lb)
Premium 2.0	<b>SPP2.0</b>	60x30	40x40	1100(3.6')	2000(6.56')	24kg(53lb)
Premium 3.0	<b>SPP3.0</b>	60x30	40x40	1100(3.6')	3000(9.84')	34kg(75lb)
Blind 1.0	<b>SPPB1.0</b>	60x30	40x40	1100(3.6')	1000(3.28')	17kg(37lb)
Blind 2.0	<b>SPPB2.0</b>	60x30	40x40	1100(3.6')	2000(6.56')	32kg(71lb)
Blind 3.0	<b>SPPB3.0</b>	60x30	40x40	1100(3.6')	3000(9.84')	44kg(97lb)
Premium Race	<b>SGPR</b>	60x30	50x50	1100(3.6')	550(1.80')	20kg(44lb)
Premium Draft	<b>SGP1.0</b>	60x30	50x50	1123(3.68')	1000(3.28')	30kg(66lb)
Premium Gate 2.1	<b>SGP2.1</b>	60x30	50x50	1123(3.68')	2100(6.56')	43kg(95lb)
Premium Gate 3.0	<b>SGP3.0</b>	60x30	50x50	1123(3.68')	3000(9.84')	59kg(130lb)
Sliding Gate	<b>SGPS</b>	50x25	30x30	1135(3.72')	765(2.51')	30kg(66lb)
Guillotine Gate	<b>SGG</b>	40x40	20x20	2160(7.09')	650(2.13')	34kg(75lb)
Optional Guillotine Gate Kit	<b>SGGK</b>					



## SHEEP PREMIUM DRENCH RACE PANEL


- 6 rails 60/30 oval tubes
- 2 posts 40/40 square posts
- Top rail is demountable



		Length	Height
Sheep Premium Drench Race Panel 3.0m	<b>SPPD3.0</b>	3000(9.84')	1100(3.61')

## SHEEP MARKING PANEL

- HPost: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails would drop down




		Length	Height
Sheep Marking Panel	<b>SPPM3.0</b>	3000(9.84')	1100(3.61')



## GOAT PANEL


- Outer frame made by od32x1.5mm pipe
- Inside 7 rail made by od25x1.3mm
- C clug provided
- Mid-plate welded on



		Length	Height	Weight
Goat Panel 2.0	<b>GP2.0</b>	2000(6.6')	1250(4.1')	18kg(39lb)
Goat Panel 3.0	<b>GP3.0</b>	3000(9.8')	1250(4.1')	25kg(55lb)

## GOAT GATE

- Frame's bottom rail made by 50x50x2.5mm hdg tube
- Panel frame made by od32x1.5mm, 7 rail od25x1.3mm pipe
- Uprights 50x50x1.7mm hdg tube
- C clug provided
- Chain lock system provided



		Length	Height	Weight
Goat Gate 2.0	<b>GG2.0</b>	2000(6.6')	1350(4.4')	35kg(77lb)
Goat Gate 3.0	<b>GG3.0</b>	3000(9.8')	1350(4.4')	45kg(99lb)



## HORSE PANELS

### Round Yard Diameter Specifications (Approx.)

10m	13 Panels Plus 1 Gate = 14 Units
12m	15 Panels Plus 1 Gate = 16 Units
13m	17 Panels Plus 1 Gate = 18 Units
14m	19 Panels Plus 1 Gate = 20 Units
16m	21 Panels Plus 1 Gate = 22 Units
17m	23 Panels Plus 1 Gate = 24 Units
18m	25 Panels Plus 1 Gate = 26 Units
20m	27 Panels Plus 1 Gate = 28 Units



HORSE PANEL

		Horizontal	Uprights	Rails	Height	Width	Weight
Horse Panel	HP2.1	60x30	40x40	5	1650(5.41')	2100(6.89')	26kg(57lb)

## HIGH TOP HORSE GATE

- Height adjustable to 3.0m allowing the option to ride through gates
- Gate is hinged to swing in both directions





		Horizontal	Uprights	Rails	Height	Width	Weight
Horse Gate	HGA	60x30	50x50	5	3000(9.84')	2100(6.89')	54kg(119lb)



## HORSE FLOAT PANEL

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 2m holding pen



	Height	Width Folded	Width Flat	Weight
Horse Float Panel <b>HFP2.0</b>	1250(4.1)	2000L(6.6')	4000(13.2')	18kg(40lb)



## DOUBLE ANIMAL/HORSE SHELTER

- Suitable shelter for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s



## SINGLE ANIMAL/HORSE SHELTER

### CONFIGURATION OPTIONS:

1. Basic Design with Roof, No Mesh, No Sheet , No Front Panel/Gate
2. With Mesh
3. With Mesh with Sheet
4. With Mesh with Steel Gate/Panel
5. With Sheet with Steel Gate/Panel
6. With Mesh with Sheet With Steel Gate/Panel
7. With Mesh with Plywood Panel & Gate
8. With Sheet with Plywood Panel & Gate
9. With Mesh with Sheet With Plywood Panel & Gate
10. Foot Pegs Are Optional



		Width	Depth	Height	Weight
3m Horse Shelter - Single	<b>HS3/3</b>	3000(9.84')	3000(9.84')	2680(8.79')	465kg(1025lb)
4m Horse Shelter - Single	<b>HS4/4</b>	4000(13.1')	4000(13.1')	2680(8.79')	673kg(1484lb)

Please check with us for other configuration item codes.



## ROUND HAY FEEDER

- Holds 6 ft round bales
- Feeds up to 14 animals simultaneously
- 3 piece construction makes it easy to relocate (3x FRP makes one ring)
- Manufactured from hot dipped galvanised pipe



	Width	Height	Weight
<b>FRP</b>	2000(6.56')	1050(3.44')	33kg(73lb)

## RECTANGLE HAY FEEDER

- Holds 2x6 ft round bales
- Feeds up to 20 animals simultaneously
- 4 piece construction makes it easy to relocate (2x FRP + 2x FSP makes one ring)
- Manufactured from hot dipped galvanised pipe



	Width	Depth	Height	Weight
<b>FSP</b>	3477(11'4")	1791(5'9")	1050(3'4")	36kg(79lb)

## SQUARE BALE CRADLE FEEDER

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanised pipe



	Width	Depth	Height	Weight
<b>FSC</b>	2900(9.5')	1500(4.92')	1080(3.54')	126kg(278lb)
<b>FSC/R</b>	2900(9.5')	1500(4.92')	1080(3.54')	126kg(278lb)

FSC/R Optional Rubber Sheet

## DIAGONAL FEEDER

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from pre-galvanised material



	Width	Length	Height	Weight
<b>Diagonal Feeder FD18</b>	1524(5')	5486.4(18')	1295(4'3")	246kg(542lb)



## SQUARE BALE FEEDERS

- Modular type, can be bolted into single/double ones
- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Manufactured from pre-galvanised material



		Width	Length	Height	Weight
Square Bale Feeder-Straight Bar	<b>FSS</b>	1524(5')	2743(9')	1295(4'3")	142(313lb)
Square Bale Feeder-Angled Bar	<b>FSA</b>	1524(5')	2743(9')	1295(4'3")	140(309lb)

## ROUND BALE FEEDERS

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 2 piece construction makes it easy to relocate
- Manufactured from pre-galvanised material



		Diameter	Height	Weight
Round Bale Feeder-Straight Bar	<b>FRS</b>	2133.6(7')	1295(4'3")	103kg(227lb)
Round Bale Feeder-Angled Bar	<b>FRA</b>	2133.6(7')	1295(4'3")	93kg(205lb)



## ROUND BALE CRADLE FEEDER

- Full 32nb pipe
- Holds 1x round bales



		Width	Depth	Height	Weight
Round Bale Cradle Feeder	FRC	1645(5'5")	1532(5')	1216(4')	142kg(313lb)

## SMALL CRADLE FEEDER

- Small round bale cradle feeder



		Width	Depth	Height	Weight
Small Cradle Feeder	FRSC	1475(4'8")	1415(4'6")	670(2'19")	50kg(110lb)

## DUAL HAY FEEDER

- Holds 2x round bales or 1x large



		Width	Depth	Height	Weight
Dual Hay Feeder	FSCS	2900(9'5")	2250(7'3")	1216(3'9")	128kg(282lb)



## LINE FEEDERS



		Width	Length	Height	Weight
Line Feeder 5.0	<b>FL-5</b>	1524(5')	1524(5')	1295(4'3")	24kg(53lb)
Line Feeder 9.0	<b>FL-9</b>	1524(5')	2743(9')	1295(4'3")	41kg(91lb)
Line Feeder 18	<b>FL-18</b>	1524(5')	5486(18')	1295(4'3")	82kg(182lb)

## HEAVY DUTY V TOP SQUARE FEEDER



		Width	Length	Height	Weight
Heavy Duty V Top Square Feeder	<b>FSVHDH</b>	1676(5'5")	2,819(9'3")	1,346(4'5")	196.86kg(434lb)

## SHEEP HANGING FEEDER



		Length	Height	Width	Weight
Sheep Hanging Feeder	<b>SF008</b>	559(1'10")	305(1')	457(1'6")	4kg(9lb)



## SHEEP TROLLEY FEEDER

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10" wheels x 1" bore with rubber tyre with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



		Width	Depth	Height	Weight
Sheep Trolley Feeder	<b>FTS</b>	1270(4'2")	330(1'11")	686(2'3")	52kg(115lb)

## SHEEP FEEDER V-TOP WITH SKID

- Overall size: 2401L x 800D x 1200H
- 1200mm Height designed to assist any tractor job to lead hay easily
- Lip rolled to the outside means no feed build up, fresher feed and no mold
- Formed so bunks can be set end-to-end or stacked for storage
- HDG rounded skid legs allow for easy movement in muddy conditions while providing lasting strength and reliability
- A distinctive design that helps to reduce hay wastage



		Length	Depth	Height	Weight
Sheep Feeder V-Top With Skid	<b>FSVT</b>	2401(7.77')	800(2.63')	1200(3.94')	113kg(249lbs)



## LICK FEEDERS

- Unique barrel design increases strength and does away with the need for internal supports
- Sizes available 800ltr, 2400ltr, 3200ltr, 4200ltr & 5200ltr
- Fully adjustable
- Full top hinge opening lid
- 3 viewing feed level indicators
- Robust galvanised construction with fork slots for easy moving



		Length	Width	Height	Weight
800ltr	<b>SFL800</b>	1171(3.8')	1232(4')	1435(4.7')	151kg(322lb)
2400ltr	<b>SFL24</b>	2265(7.4')	1147(3.76')	1750(5.74')	315kg(695lb)
3200ltr	<b>CFL32</b>	2265(7.4')	1167(3.83')	2100(6.89')	394kg(867lb)
4200ltr	<b>CFL42</b>	2265(7.4')	1405(4.61')	2250(7.38')	446kg(993lb)
5200ltr	<b>CFL52</b>	2919(9.5')	1574(5.16')	2223(7.29')	520kg(1146lb)



## GRAIN SELF FEEDERS

Lienert Ag Supplies manufacture and supply a range of both mobile and stationary stock self grain feeders. The Lienert range is of a unique design with some features completely unique to the Lienert range. Designed specifically by Matt from his own experience to help make feeding stock simple and time effective has assured the product remains highly competitive on the market for its capabilities.

- Fully adjustable flow control gate
- 1.1m wide lid opening - easy filling with no spillage direct out of silo and auger
- Easy roll over tarp - canvas guarantee of 10 years from date of purchase
- All bolted with high tensile M8 zinc plated bolts and nylock nuts, NO tek screws
- Quick release spring bolts on gate adjustment
- All mobile feeders can be towed full and in tandem
- Maximum of 25km/hr. when towing full  
Maximum of 100km/hr. when towing empty
- Extra wide rain shelters for protection of feed
- Deep feed tray to avoid spillage
- Jack stands on mobile units
- Full length sight glass
- Step ladder on outside and inside of all models
- Main body constructed from 1.6 gal sheet
- Skid frames 100 x 50 x 3 gal rhs
- Chassis 125 x 75 x 5 gal rhs



### Extras Available

- Lick feeder attachments
- Creep feeder attachments
- Removable dolly's
- Flat pack options for easy and cost effective freight options

		Length	Width	Height	Weight
50 Bag Stationary	<b>FGS50</b>	2400(7.87')	1200(3.9')	1900(6.2')	400kg(881lb)
50 Bag Mobile	<b>FGM50</b>	4800(15.7')	2300(7.5')	2000(6.5')	600kg(1322lb)
65 Bag Stationary	<b>FGS65</b>	3000(9.8')	2300(7.5')	1900(6.2')	450kg(992lb)
65 Bag Mobile	<b>FGM65</b>	5100(16.7')	2300(7.5')	2300(7.5')	700kg(1543lb)
100 Bag Stationary	<b>FGS100</b>	4800(15.7')	2300(7.5')	200(0.65')	1000kg(2204lb)
130 Bag Stationary	<b>FGS130</b>	6000(19.6')	2300(7.5')	200(0.65')	1200kg(2645lb)



## ATV TRAILER

- 5 x 3 ft
- Tipping feature
- Removable cage

### Materials

- Standard 2mm flat plate
- 10inch sides
- 50 x 50 x 2mm draw bar
- 50mm coupling
- 45mm hollow axle
- 13inch sunraysia ford tyres
- 30 x 30 rhs chassis
- Cage 25nb pipe frame with 50 x 50 x 4mm mesh 900mm high



		Weight
ATV Trailer	TATV	165kg(363lb)





## RAISED DOG PENS

### Standard Dog Pens

- Available in single and double in both standard and raised
- Raised flooring composite boards with drainage gaps
- Sturdy construction and design
- Providing great protection for your pets



Materials:

Frame 30 x 30 x 1.6mm galvanised tube

Mesh: 25 x 84mm with 3mm diameter

Hot dip galvanised

		Depth	Width	Height	Weight
Single Raised Dog Pen	DCSR	2300(7.5')	1104(3.6')	1688(5.5')	168kg(370lb)
Double Raised Dog Pen	DCDR	2300(7.5')	2100(6.9')	1688(5.5')	368kg(811lb)
Single Raised Dog Pen Budget	DCBSR	2200(7.2')	1090(3.6')	1645(5.4')	
Double Raised Dog Pen Budget	DCBDR	2200(7.2')	2105(6.9')	1645(5.4')	



### Budget Raised Dog Pens

- No back door
- FRP ( Fiber glass grating floor )
- Designed as modular, it can be set up into a single pen, double pen, triple pen, etc...
- Detachable mid-wall
- Comes in Flat pack version
- Anti-UV Trim Deck and flashing provided

## STANDARD DOG PENS



STANDARD SINGLE



STANDARD DOUBLE

	Depth	Width	Height	Weight
DCS	3660(12')	2150(7.05')	1830(6')	178kg(392lb)
DCD	3660(12')	2400(7.87')	1830(6')	278kg(613lb)



# HOW TO RECOGNISE YOU ARE BUYING BRAZZEN GENUINE EQUIPMENT



**BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.**

- 1 We pride ourselves in having excellent galvanising and even our upright posts are hot dipped galvanised on all our panels which is important as this is the part that touches the ground.
- 2 All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
- 3 Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors.
- 4 All our equipment has the anti-rattle rubbers where the pins join the equipment.
- 5 Our standard cattle panels are 36kg in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the weight of steel.
- 6 Some companies have cheap panels with only half a C clamp on one side to save on steel. When linked with other panels this is much weaker than the full C clamp. Beware of these inferior panels.



***"If it is not Genuine Brazen there is no Brazen Warranty"***

We take pride in our excellent galvanizing, with all upright posts on our standard panels being Hot-Dipped Galvanized. This is essential, as these posts are in direct contact with the ground, mud, and snow.

Our manufacturing facility is managed by Australians, ensuring that quality control and product development are overseen to the highest standards. Australian livestock equipment is known worldwide for its durability, and much of Brazen equipment is used in the Northern Territory and outback regions, where it reliably withstands the demands of penning buffalo, wild cattle, and horses.

Many manufacturers have started to imitate our designs, attempting to sell their products as Brazen Equipment.

For you to recognise genuine Brazen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazen sticker on the panels. A lot of our equipment will have the logo stamped in them.

***If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.***

**Do please keep buying Brazen Equipment and make sure it is genuine.**



## BE BRAZEN BUY BRAZZEN



# BRAZZEN

RURAL PRODUCTS

## Contact & Sales

---

### HEAD OFFICE

**Tel 1300 686 517**

80 Mann Street  
Coolamon NSW 2701  
[sales@brazzen.com.au](mailto:sales@brazzen.com.au)



DESIGNED & TESTED BY  
FARMERS WORLDWIDE